

• In addition to routine checks for each use, PPE should regularly undergo a detailed inspection by a competent person. Petzl recommends an inspection every 12 months and after any exceptional event in the life of the product.  
 • PPE inspection should be conducted with the manufacturer's Instructions for Use.  
 Download the instructions at [PETZL.COM](http://PETZL.COM).

# EXO / EXO AP

## User information

Surname

Address

Identifier

## PPE information

Model

Serial number

Year of manufacture

Date of purchase

Date of first use

**Manufacturer:** Petzl, ZI Cidex 105A - 38920 Crolles - France

 Good condition (G)	 To monitor (TM)	 To repair (TR)	 Do not use, retire (R)	N/A Not applicable
---	--	---	---	-----------------------

### 1. Known product history

Usage conditions or exceptional event during use (examples: fall or fall arrest, use or storage at extreme temperatures, modification outside manufacturer's facilities...):

					N/A
---	---	---	---	---	-----

### 2. Preliminary observations

- Verify the presence and legibility of the serial number and the CE mark.
- Verify that the product lifetime has not been exceeded.
- Compare with a new device to verify there are no modifications or missing elements.

### 3. Checking the condition of the bag

- Look for wear and damage on the bag due to use (cuts, signs of chemicals or burns, discoloration, loose tears...).

### 4. Checking the condition of the anchor connector and the harness attachment connector.

- For connector inspection, see the inspection form for your connector model at Petzl.com.

### 5. Inspecting the rope

- Look for wear and damage on the sheath due to use (cuts, fuzziness, signs of chemicals or burns...).
- Carry out a tactile inspection of the core along the entire length of the rope (hard spots, swelling, soft or crushed areas...).
- Check the condition of the rope at the free end and at the anchor connector end. Check the safety stitching on the sewn terminations. Be particularly careful to check for cut or loose threads.
- If necessary, remove the rope and replace it with a Petzl spare rope for EXO. Follow the installation instructions in the Instructions for Use provided with the replacement rope.

### 6. Inspecting the frame

- Check the general condition of the frame and side plates (marks, deformation, cracks, fouling, corrosion...).
- Check the condition of the attachment hole (marks, deformation, cracks, corrosion...).
- Check the condition of the cam groove (marks, deformation, fouling...). Make sure there are no foreign objects in the mechanism (mud, sand...).
- Check the condition of the handle (marks, deformation, cracks...). Check that the handle return spring is working properly.
- Check the condition of the rivets (marks, deformation, cracks, corrosion...).
- Verify the presence of the plastic tie use indicator (EXO EN 341 only).

### 7. Function check

- Do a function check with the device on the harness. Pull on the anchor side of the rope, the rope must lock in the device. Take care to avoid breaking the plastic tie use indicator

### 8. Packing the EXO in the bag

- Follow the EXO Instructions for Use, available at Petzl.com.

### Comments (detail here any defects found on the product and accomplished tasks)

VERDICT	
	Product <b>fit</b> to remain in service
	Product <b>unfit</b> to remain in service

Inspected by \_\_\_\_\_

Company \_\_\_\_\_

Date \_\_\_\_\_ | Next inspection date \_\_\_\_\_